



Section 1: Identification

Product identifier: Glide Lane Conditioner
Other Means of identification
Part Number(s): 156-8245
Recommended Use: Bowling lane conditioner
Restrictions on Use: Uses other than those stated, for industrial/professional use only
Manufacturer: Kegel LLC
 1951 Longleaf Blvd
 Lake Wales, FL 33859, USA
Phone: (863) 734-0200, (800) 280-2695
Email: SDS@kegel.net
Emergency Phone: For 24/7 multilingual advice for a spill, leak, fire, exposure, or accident call CHEMTREC and provide CCN 210756.
 Toll free: (800) 424-9300
 Backup number: (703) 527-3887 (English only)

Section 2: Hazard(s) identification

Classification of the substance or mixture: This product is not classified as hazardous according to 29 CFR 1910.1200.

Physical Hazards: Not classified
Health Hazards: Not classified
Environmental Hazards: Not classified

Label Elements

Pictogram(s): None
Signal Word: None

Hazard statements

Precautionary Statements

Prevention:
Response:
Storage:
Disposal:

Hazards not otherwise classified: None known

Unknown toxicity: There are no substances of unknown toxicity contained in this mixture.

Section 3: Composition/information on ingredients

Chemical name	CAS Number	Concentration (%)	Classification*
Heavy paraffinic, hydrotreated petroleum distillate	64742-54-7	59	Not classified
Light paraffinic, hydrotreated petroleum distillate	64742-55-8	29	Aspiration hazard Category 1/H304
White mineral oil (petroleum)	8042-47-5	9	Aspiration hazard Category 1/H304
Other components below reportable levels	---	3	Not classified

*Occupational Exposure Limit(s), if available, are listed in section 8. See section 16 for the full text of the H phrases declared above.

Section 4: First-aid measures

Description of first aid measures

Skin Contact: Remove contaminated clothing and wash before reuse. Rinse skin with a mild soap and water immediately. Get medical advice/attention if irritation persists.

Eye Contact: Remove contact lenses, if present. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. If problems persist, seek medical advice.

Ingestion: Wash out mouth with water. Do not induce vomiting unless directed to do so by medical professional. Get medical attention if symptoms occur.

Inhalation: Remove person to fresh air and away from further exposure. Qualified personnel may give oxygen if breathing is difficult. Give artificial respiration if person stops breathing. Seek medical assistance if breathing difficulty continues.

Most important symptoms and effects, both acute and delayed

Skin Contact: Harmful effects are not expected.

Eye Contact: Harmful effects are not expected.

Ingestion: Small amounts ingested accidentally as a result of normal handling are not likely to cause harmful effects.

Inhalation: This product is not likely to cause an inhalation hazard at normal temperatures and pressures.

Indication of immediate medical attention and special treatment needed

If you feel unwell, seek medical advice/attention. Show physician this safety data sheet.

Section 5: Fire-fighting measures

Extinguishing media

Suitable: Treat as an oil fire. Use CO₂, dry powder, universal-type foam, and water fog

Unsuitable: Oil will float on water. Do not use water jet to extinguish flames as it can spread the fire.

Specific hazards arising from chemical: Pressure increases may cause container to burst, and material may splatter. Burning can produce various oxides.

Special firefighting procedures: Use water spray to cool fire-exposed containers and structures.

Special protective equipment and precautions for firefighters: Wear full protective gear and a self-contained breathing apparatus with full face-piece.

Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures: Wear protective clothing including chemical resistant gloves and eye protection when taking up spills. Eliminate any ignition sources. Evacuate untrained personnel.

Methods and materials for containment and cleaning up: Floor may be slippery. Use care to avoid falling. Cover drains and use spill dams to prevent material from spreading. Absorb spill on an inert material such as sand, earth, or vermiculite. Universal sorbent pads may also be used. Small spills can be mopped away with water. Never return spills to original container for re-use. Spill clean-up materials should be collected in appropriately labelled containers for disposal. Dispose of material as required by all applicable regulations and laws.

Environmental precautions: This product is insoluble in water and will float on the surface. Prevent from entering sewers or drains.

Note: See section 8 for personal protective equipment and section 13 for disposal considerations.

Section 7: Handling and storage

Precautions for safe handling: Keep containers tightly closed to prevent contamination. Wear suitable personal protective equipment including gloves and splash resistant eye protection. Wash hands after use.

Conditions for safe storage, including any incompatibilities: Normal precautions should be followed in handling and storage. Product shelf life is best retained by storage between 68°F and 90°F (20°C – 32°C).

Section 8: Exposure controls/personal protection**Occupational exposure limits/standards**

Chemical name	Type	Limit values	Source
Heavy paraffinic, hydrotreated petroleum distillate (CAS #64742-54-7)	PEL	5 mg/m ³ (TWA)	OSHA Table Z-1 (oil mist)
	REL	5 mg/m ³ (TWA)	NIOSH Pocket Guide to Chemical Hazards (oil mist)
	STEL	10 mg/m ³	NIOSH Pocket Guide to Chemical Hazards (oil mist)
Light paraffinic, hydrotreated petroleum distillate (CAS #64742-55-8)	PEL	5 mg/m ³ (TWA)	OSHA Table Z-1 (oil mist)
	REL	5 mg/m ³ (TWA)	NIOSH Pocket Guide to Chemical Hazards (oil mist)
	STEL	10 mg/m ³	NIOSH Pocket Guide to Chemical Hazards (oil mist)
White mineral oil (petroleum) (CAS #8042-47-5)	PEL	5 mg/m ³ (TWA)	OSHA Table Z-1 (oil mist)
	REL	5 mg/m ³ (TWA)	NIOSH Pocket Guide to Chemical Hazards (oil mist)
	STEL	10 mg/m ³	NIOSH Pocket Guide to Chemical Hazards (oil mist)

Appropriate engineering controls: Mechanical ventilation is suggested but not normally necessary under normal usage of product.

Individual protection measures, such as personal protective equipment

Eye and face protection: Appropriate eye protection should always be worn when handling chemicals. Wear splash resistant eye protection such as safety glasses or safety goggles.

Skin and hand protection: Wear chemical resistant gloves, such as nitrile, neoprene, or latex with a minimum breakthrough time of ten minutes and protective clothing, such as long sleeves, to minimize skin contact.

Respiratory protection: No special respiratory protection is required with normal usage of product.

General hygiene considerations: Wash hands thoroughly after handling and before eating, smoking, using lavatory, and at the end of the day. Remove contaminated clothing and clean it before re-use. Do not take internally. Keep away from foodstuffs and beverages.

Environmental exposure controls: No special requirements under normal use conditions. See section 7, handling and storage, and section 13, disposal consideration, for measures to prevent excessive environmental exposure during use and waste disposal.

Section 9: Physical and chemical properties**Information on basic chemical and physical properties**

Appearance: Clear, amber colored liquid

Odor: Non-objectionable odor

Odor threshold: Not determined

pH: Not determined

Melting point: Not determined

Freezing point: Not determined

Initial boiling point: 543.2°F (284°C)

Distillation temperature (90%): 905°F (485°C)

Flash point: 352.4°F (178°C) by PMCC

Fire point: Not determined

Evaporation rate: Not determined

Flammability (liquid): Not flammable, see flash point

Explosive limits: Not determined

Vapor pressure: Not determined

Vapor density: Not determined

Relative density (H₂O=1): 0.852 at 72°F/22°C

Solubility in H₂O: Insoluble

Partition coefficient (n-octanol/water): Not determined

Auto ignition temperature: Not determined

Decomposition temperature: Not determined

Kinematic viscosity: 46.7 mm²/s at 70°F/21°C (calculated)

Dynamic viscosity: 38.9 cps at 70°F/21°C

Explosive properties: Not determined

Oxidizing properties: Not determined

NOTE: The physical data presented above are typical values and should not be construed as a specification.

Section 10: Stability and reactivity

Reactivity: Non-reactive when used according to specifications.

Chemical stability: Stable under normal ambient conditions.

Possibility of hazardous reactions: None under conditions of normal use.

Conditions to avoid: As a precaution avoid high heat, flames and sparks.

Incompatible materials: Avoid oxidizing agents.

Hazardous decomposition products: Burning can produce various oxides and vapors that are potentially dangerous to health.

Section 11: Toxicological information

Information on hazard classes as defined in 29 CFR 1910.1200: This product has not undergone animal lab testing to determine toxicity. Toxicological data and local effects provided for primary substance(s) in the mixture.

Information on likely routes of exposure

Skin contact, eye contact, ingestion, inhalation

Acute toxicity: Does not meet the criteria for classification.

Skin corrosion/irritation: Does not meet the criteria for classification.

Eye damage/irritation: Does not meet the criteria for classification.

Respiratory sensitization: Does not meet the criteria for classification.

Skin sensitization: Does not meet the criteria for classification.

Germ cell mutagenicity: Does not meet the criteria for classification.

Carcinogenicity: Does not meet the criteria for classification. This product is not considered to be a carcinogen by IARC, NTP, or OSHA.

Reproductive toxicity: Does not meet the criteria for classification.

Specific target organ toxicity - single exposure (STOT-SE): Does not meet the criteria for classification.

Specific target organ toxicity - repeated exposure (STOT-RE): Does not meet the criteria for classification.

Aspiration hazard: Does not meet the criteria for classification.

Numerical measures of toxicity: The following values are calculated based on chapter 3.1 of the GHS document.

ATEmix (oral): 5,102 mg/kg

ATEmix (dermal): 3,194 mg/kg

ATEmix (inhalation-mist): 5.09 mg/l

Section 12: Ecological information

Ecotoxicity: There is no eco-toxicity data available for this mixture. This product should be kept out of sewage and drainage systems and all bodies of water as oil will float on water.

Persistence and degradability: Biodegradability has not been determined for the mixture.

Bioaccumulative potential: Data not available for the mixture.

Mobility in soil: Data not available for the mixture.

Other adverse effects: None known.

Section 13: Disposal considerations

Disposal instructions: Dispose of all contents/containers according to appropriate local, state, federal, and international environmental control regulations.

Recommendations: Collect and reclaim, or dispose of, in sealed containers at a licensed waste disposal site. The material may be collected and recycled at a licensed and approved chemical collection and disposal facility. Empty containers should be taken to an approved waste facility for recycling or disposal.

Section 14: Transport information

	DOT (US Road/Rail Transport)	IMO/IMDG (Sea Transport)	IATA/ICAO (Air Transport)
UN Number	Not regulated	Not regulated	Not regulated
UN Proper Shipping Name	Not regulated	Not regulated	Not regulated
Transport hazard class	Not regulated	Not regulated	Not regulated
Packing group	None	None	None
Environmental hazards	None	None	None

Maritime transport in bulk according to IMO instruments: Not applicable

Special precautions for user: Always transport in closed containers that are upright and secure to prevent accidental spillage.

Section 15: Regulatory information

Safety, health, and environmental regulations/legislation specific for the substance/mixture

US Federal Regulations

United States Environmental Protection Agency TSCA Inventory: All components of this product are present and listed as Active on the US EPA Toxic Substance Control Act (TSCA) inventory.

OSHA Hazard Communication Standard: This product is not classified as a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200

CERCLA Reportable Quantity: This product does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity: This product does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards: None

SARA 313: This product does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the US Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the US Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the US Clean Air Act Section 111 SOCM I Intermediate or Final VOCs (40 CFR 60.489).

Clean Water Act

This product does not contain any Hazardous Substances listed under the US Clean Water Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the US Clean Water Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the US Clean Water Act Section 307.

This product does not contain any priority pollutants related to the US Clean Water Act.

US State Regulations

California Proposition 65: This product does not contain any chemicals known to the State of California to cause cancer, birth defects or any other reproductive harm.

Massachusetts RTK Substance List: No listed chemicals.

Minnesota RTK: Mineral oil mist listed.

New Jersey RTK: Mineral oil listed.

New York RTK: No listed chemicals.

Pennsylvania Worker and Community Right-to-Know Law: Mineral oil mist listed.

Rhode Island RTK: Mineral oil mist listed.

Section 16: Other information, including date of preparation or last revision

Indication of changes: New SDS

Full text of abbreviations and Acronyms

CFR – Code of Federal Regulations

CAS – Chemical Abstracts Service
 PEL – Permissible Exposure Limit
 REL – Relative Exposure Limit
 STEL – Short Term Exposure Limit
 TWA – Time Weighted Average
 OSHA – Occupational Safety and Health Administration
 NIOSH – National Institute for Occupational Safety and Health
 IARC – International Agency for Research on Cancer
 NTP – National Toxicology Program
 ATE – Acute Toxicity Estimate
 DOT – Department of Transportation
 IMDG – International Maritime Dangerous Goods code
 IMO – International Maritime Organization
 IATA – International Air Transport Association
 ICAO – International Civil Aviation Organization
 UN – United Nations

Information source and references

This SDS is prepared from information supplied by raw material manufacturers, data from testing labs, and other reliable chemical information sources.

Classification according to 29 CFR 1910.1200	Classification procedure

Full text of H-phrases, if any, with number appearing in section 3

H304: May be fatal if swallowed and enters airways.

Advice on training

Users of this product should read and understand the data contained in this SDS as well as any hazards associated with use and disposal of the product. Consult appropriate expertise as necessary.

HMIS III Rating

Health: 0
 Flammability: 1
 Physical Hazard: 0
 Personal Protective Equipment (PPE): B

NFPA Rating

Health: 0
 Flammability: 1
 Reactivity: 0
 Special Hazards: None


Hazard Rating Legend

0: Minimal Hazard
 1: Slight Hazard
 2: Moderate Hazard
 3: Serious Hazard
 4: Severe Hazard

HMIS III Ratings

HEALTH	0
FLAMMABILITY	1
PHYSICAL HAZARD	0
PPE	B

NFPA Ratings



SDS: Glide Lane Conditioner**SDS Revision Level:** 1.0**SDS Revision Date:** 19 February 2025**Notice to Reader**

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Health and safety information presented on this form is generally applicable for the recommended usage of this product. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. This information was compiled from current, reliable sources and is believed to be correct. As data, and/or regulations change and conditions of use and handling are beyond our control, no warranty, express or implied, is made as to completeness or continuing accuracy of this information.